In the Claims:

- 1. (currently amended) A pivoting assembly with a mount for holding hunting equipment and a clamp for attaching the assembly to a tube of an ATV extension kit, the assembly comprising:
- a first threaded shaft with a ball seat, the first threaded shaft attached to and extending upward from the an extension kit clamp;
- a second threaded shaft with a ball seat, the second threaded shaft attached to and extending downward from the a hunting equipment mount; and
- a shaft having a pivot ball and attachment nut on each end, the attachment nuts adapted to release or secure the ball in the ball seat of each of the threaded shafts, thereby providing a locking means on each end of the shaft for holding the shaft in a selected orientation.
- KI
- 2. (original) The assembly of claim 1 wherein the shaft is a round tube and each ball has an attachment shaft adapted for a press fit into the shaft round tube.
- 3. (currently amended) The assembly of claim 1 wherein the <u>hunting</u> equipment mount is a gun mount.
- 4. (currently amended) The assembly of claim 1 wherein the <u>hunting</u> equipment mount is a bow mount.

- 5. (currently amended) A pivoting assembly for positioning a hunting equipment mount on an ATV where the pivoting assembly is attached to a vehicle with a clamp, the pivoting assembly comprising:
 - a first ball on one end of a shaft, the first ball having a first attachment nut;
- a second ball on the other end of the shaft, the second ball having a second attachment nut:
- a first threaded shaft with a seat for receiving the first ball, the first threaded shaft being attached to the a rack extension clamp; and
- a second thread shaft with a seat for receiving the second ball, the second threaded shaft being attached to the a hunting equipment mount.
- 6. (currently amended) The pivoting assembly of claim 5 wherein the <u>hunting</u> equipment mount is a gun mount.
- 7. (currently amended) The pivoting assembly of claim 5 wherein the <u>hunting</u> equipment mount is a bow mount.
- 8. (currently amended) A pivoting assembly for holding hunting equipment in a user selected position, the assembly comprising:
 - a mounting shaft with a lockable swivel coupling nut and ball on each end;
- a <u>U-shaped</u> mount coupled to a first swivel of the lockable swivels <u>with a threaded shaft adapted for coupling to one end of the mounting shaft;</u> and
- a clamp <u>adapted for attachment to a rack extension kit, the clamp having</u>

 <u>a threaded shaft for coupling to the other end of the mounting shaft coupled to a second lockable swivel of the lockable swivels.</u>

- 9. (currently amended) The pivoting assembly of claim 8 wherein the equipment <u>U-shaped</u> mount <u>is adapted for holding</u> a gun mount.
- 10. (currently amended) The pivoting assembly of claim 8 wherein the equipment <u>U-shaped</u> mount <u>is adapted for holding</u> a bow mount.

K (

11. (currently amended) A pivoting assembly with a mount for holding hunting equipment and a clamp for attaching the assembly to a tube of an ATV extension kit, the assembly comprising:

a first means for pivoting where the first pivoting means is lockable and where the first pivoting means is attached to the a <u>U-shaped</u> equipment mount adapted for holding hunting equipment;

a second means for pivoting where the second pivoting means is lockable and where the second pivoting means is attached to the <u>a</u> clamp <u>adapted for coupling to an ATV extension kit</u>; and

a mounting shaft connecting the two pivoting means.